

IFF
INTERNATIONAL
FIREARMS FACTORY



*Over
Unders*

Over Under

IFF-OU-1201



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-------------------------|------------|----------------|-------------------|--|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66-71-76cm | 4140 Steel | Turkish Walnut | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel or aluminum | 76mm 3" | 3,60 Kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Over Under

IFF-OU-1202



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-------------------------|------------|----------------|-------------------|--|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66-71-76cm | .410 Steel | Turkish Walnut | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel or aluminum | 76mm 3" | 2,75 Kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Over Under

IFF-OU-1203



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-------------------------|------------|----------------|-------------------|--|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66-71-76cm | 4140 Steel | Turkish Walnut | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel Manual Engraved | 76mm 3" | 3,50 kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Over Under

IFF-OU-1204



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-------------------------|------------|----------------|-------------------|--|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66-71-76cm | 4140 Steel | Turkish Walnut | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel Manual Engraved | 76mm 3" | 3,50 kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Over Under

IFF-OU-1205



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-----------------------------|------------|----------------|-------------------|---|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66- 71-76cm | 4140 Steel | Turkish Walnut | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel Manual Engraved | 76mm 3" | 3,50 kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Over Under

IFF-OU-1206



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-------------------------|------------|----------------|-------------------|--|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66-71-76cm | 4140 Steel | Turkish Walnut | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel Manual Engraved | 76mm 3" | 3,50 kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Over Under

IFF-OU-1207



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-------------------------|------------|----------------|-------------------|--|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66-71-76cm | 4140 Steel | Turkish Walnut | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel Manual Engraved | 76mm 3" | 3,50 kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Over Under

IFF-OU-1208



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-------------------------|------------|----------------|-------------------|--|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66-71-76cm | 4140 Steel | Turkish Walnut | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel Manual Engraved | 76mm 3" | 3,50 kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Over Under

IFF-OU-1209



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-------------------------|------------|----------------|-------------------|--|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66-71-76cm | 4140 Steel | Turkish Walnut | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel Manual Engraved | 76mm 3" | 3,50 kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Over Under

IFF-OU-1210



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-------------------------|------------|----------------|-------------------|--|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66-71-76cm | 4140 Steel | Turkish Walnut | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel Manual Engraved | 76mm 3" | 3,50 kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Over Under®

IFF-OU-1211



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-------------------------|------------|-----------|-------------------|--|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66-71-76cm | 4140 Steel | Synthetic | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel or aluminum | 76mm 3" | 2,75 Kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Over Under

IFF-OU-1212



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-------------------------|------------|-----------|-------------------|--|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66-71-76cm | 4140 Steel | Synthetic | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel or aluminum | 76mm 3" | 2,75 Kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Over Under

IFF-OU-1213



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-------------------------|------------|-----------|-------------------|--|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66-71-76cm | 4140 Steel | Synthetic | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel or aluminum | 76mm 3" | 2,75 Kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Over Under

IFF-OU-1214



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-------------------------|------------|-----------|-------------------|--|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66-71-76cm | 4140 Steel | Synthetic | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel or aluminum | 76mm 3" | 2,75 Kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Over Under

IFF-OU-1215



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-------------------------|------------|-----------|-------------------|--|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66-71-76cm | 4140 Steel | Synthetic | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel or aluminum | 76mm 3" | 2,75 Kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Over Under

IFF-OU-1216



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|-------------------------|------------|-----------|-------------------|--|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 47- 51-55-61-66-71-76cm | 4140 Steel | Synthetic | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel or aluminum | 76mm 3" | 2,75 Kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com



TRAP

Snap

IEFF-TOU-1201



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|------------------|------------|----------------|-------------------|---|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 71-76-81 cm | 4140 Steel | Turkish Walnut | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel or aluminum | 76mm 3" | 3,60 Kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com

Trap

IFF-TOU-1202



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|-------------------|----------------|------------------|------------|----------------|-------------------|---|---------|---------|
| Extractor/Ejector | 12-16-20-28-36 | 71-76-81 cm | 4140 Steel | Turkish Walnut | Mobile(1-2-3-4-5) | Hot Forged Monoblock Steel or aluminum | 76mm 3" | 3,60 Kg |

Also available in 12 Ga w/extractor, 20 Ga w/extractor and .410 w/extractor and in aluminum model 12 Ga, 20 Ga and .410 Ga w/extractor

www.internationalfirearmsfactory.com



PREMIUM

Premium

IEFF-POU-1201



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|------------------|-------|------------------|---|------------------|-------------------|--------------------------|---------|---------|
| Ejector/Selector | 12 | 66-71-76 Cm | 4140 Drilling Steel Barrel Full Length Silver Weld | Walnut- 2 Number | Mobile Choke-Slug | Steel Laser engraving | 76mm 3" | 3,60 Kg |

www.internationalfirearmsfactory.com

Premium

IFF-POU-1202



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|------------------|-------|------------------|---|------------------|-------------------|--------------------------|---------|---------|
| Ejector/Selector | 12 | 66-71-76 Cm | 4140 Drilling Steel Barrel Full Length Silver Weld | Walnut- 2 Number | Mobile Choke-Slug | Steel Laser engraving | 76mm 3" | 3,60 Kg |

www.internationalfirearmsfactory.com



ULTRALUXE

Ultralux

IFF-UOUU-1201



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|------------------|-------|------------------|---|------------------|-------------------|-------------------------|---------|---------|
| Ejector/Selector | 12 | 66-71-76 Cm | 4140 Drilling Steel Barrel Full Length Silver Weld | Walnut- 3 Number | Mobile Choke-Slug | Steel Hand engraving | 76mm 3" | 3,60 Kg |



Ultra Luxe

IFF-UOU-1202



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|------------------|-------|------------------|---|------------------|-------------------|---|---------|---------|
| Ejector/Selector | 12 | 66-71-76 Cm | 4140 Drilling Steel Barrel Full Length Silver Weld | Walnut- 5 Number | Mobile Choke-Slug | Steel 24K Gold Embroidered Hand engraving | 76mm 3" | 3,60 Kg |



Palmanus

Ultra Luxe

IFF-UOU-1203



| System | Gauge | Length of Barrel | Barrel | Stock | Choke | Receiver | Chamber | Weight |
|------------------|-------|------------------|---|------------------|-------------------|---|---------|---------|
| Ejector/Selector | 12 | 66-71-76 Cm | 4140 Drilling Steel Barrel Full Length Silver Weld | Walnut- 5 Number | Mobile Choke-Slug | Steel 24K Gold Embroidered Hand engraving | 76mm 3" | 3,60 Kg |



Palmarius



Overkill

IFF
INTERNATIONAL
FIREARMS FACTORY